

SUNLUXTM

LED

We are here to

BRIGHTEN UP



Your Lives!



www.sunluxenergy.com


LED SLIM PANEL LIGHT

TYPE: RECESSED

	Item Code	Outer Size (mm)	Cut Size (mm)	Power(W)	Shape
	PL03W-RD-XX	Ø85	Ø77	3W	ROUND
	PL08W-RD-XX	Ø120	Ø105	8W	ROUND
	PL12W-RD-XX	Ø170	Ø155	12W	ROUND
	PL15W-RD-XX	Ø170	Ø155	15W	ROUND
	PL20W-RD-XX	Ø225	Ø207	20W	ROUND
	PL24W-RD-XX	Ø225	Ø207	24W	ROUND
	PL03W-SQ-XX	85 X 85	77 X 77	3W	SQUARE
	PL08W-SQ-XX	120 X 120	105 X 105	8W	SQUARE
	PL12W-SQ-XX	170 X 170	155 X 155	12W	SQUARE
	PL15W-SQ-XX	170 X 170	155 X 155	15W	SQUARE
	PL20W-SQ-XX	225 X 225	207 X 207	20W	SQUARE
	PL24W-SQ-XX	225 X 225	207 X 207	24W	SQUARE


SURFACE PANEL LIGHT

TYPE: SURFACE

	Item Code	Outer Size (mm)	Thickness (mm)	Power(W)	Shape
	SFPL08W-001-KXX	Ø120	35	8W	ROUND
	SFPL15W-001-KXX	Ø175	35	15W	ROUND
	SFPL20W-001-KXX	Ø225	35	20W	ROUND
	SFPL08W-001-KXX	120 X 120	35	8W	SQUARE
	SFPL15W-001-KXX	175 X 175	35	15W	SQUARE
	SFPL20W-001-KXX	225 X 225	35	20W	SQUARE

SYLVIUS NARROW RIM PANEL LIGHT

TYPE: RECESSED

	Item Code	Outer Size (mm)	Cut Size (mm)	Power(W)	Shape
	UPL-6WSQ-KXX	90 X 90	85 x 85	6W	SQUARE
	UPL-12WSQ-KXX	145 X 145	140 X 140	12W	SQUARE
	UPL-18WSQ-KXX	175 X 175	170 X 170	18W	SQUARE
	UPL-24WSQ-KXX	225 X 225	220 X 220	24W	SQUARE
	UPL-6WRD-KXX	Ø90	Ø80	6W	ROUND
	UPL-12WRD-KXX	Ø145	Ø135	12W	ROUND
	UPL-18WRD-KXX	Ø175	Ø165	18W	ROUND
	UPL-24WRD-KXX	Ø225	Ø215	24W	ROUND


SYLVIUS NARROW RIM PANEL LIGHT

TYPE: SURFACE


	Item Code	Outer Size (mm)	Thickness (mm)	Power(W)	Shape
	USPL-12WSQ-KXX	145 X 145	35	12W	SQUARE
	USPL-18WSQ-KXX	175 X 175	35	18W	SQUARE
	USPL-24WSQ-KXX	225X225	35	24W	SQUARE
	USPL-12WRD-KXX	Ø145	35	12W	ROUND
	USPL-18WRD-KXX	Ø175	35	18W	ROUND
	USPL-24WRD-KXX	Ø225	35	24W	ROUND

MAXIM DOWNLIGHT


TYPE: RECESSED

	Item Code	Outer Size (mm)	Cut Size (mm)	Thickness (mm)	Power(W)	Shape
	MAXIM - 16W	120 X 120	110 X 110	33	16W	SQUARE
	MAXIM - 24W	170 X 170	160 X 160	33	24W	SQUARE
	MAXIM - 32W	225 X 225	215 X 215	33	32W	SQUARE
	MAXIM - 16W	Ø120	Ø110	33	16W	ROUND
	MAXIM - 24W	Ø170	Ø160	33	24W	ROUND
	MAXIM - 32W	Ø225	Ø215	33	32W	ROUND


COMMERCIAL LIGHTING

	Item Code	Outer Size (mm)	Thickness (mm)	Cut Size (mm)	Power(W)	Installation Type
	PL42W-007S-KXX	595 X 595	8	NA	42	Recessed / Hanging
	PL60W-008S-KXX	1195 X 295	8	NA	60	Recessed / Hanging
	XYLUS 45W	595 X 595	50	585 x 585	45	Recessed / Hanging
	GRILL 36W	595 X 595	31	NA	36	Recessed / Hanging / Surface

T5 UNIKONECT

	Item Code	Size	Power (W)
	UNIKONECT - 5W	1FT	5W
	UNIKONECT - 10W	2FT	10W
	UNIKONECT - 15W	3FT	15W
	UNIKONECT - 20W	4FT	20W

T8 BATTEN

	Item Code	Size	Power (W)
	MASTER 36W	4FT	36W
	MASTER 20W	2FT	20W

MIRROR & WALL MOUNTED LIGHTS








TBL06W002SKXX 5W


TABLE LAMPS AND FIXTURES

	
TBL06W002SKXX (6 W)	TBL06W002BKXX (6 W)

T5 BATTEN

	Item Code	Size	Power (W)
	CUBIX - 5W	1FT	5W
	CUBIX - 10W	2FT	10W
	CUBIX - 15W	3FT	15W
	CUBIX - 20W	4FT	20W
	CUBIX - 22W	4FT	22W
	CUBIX 3IN1	4FT	20W
	UNIGLOW - 5W	1FT	5W
	UNIGLOW - 10W	2FT	10W
	UNIGLOW - 15W	3FT	15W
	UNIGLOW - 20W	4FT	20W
	ECOMAX - 5W	1FT	5W
	ECOMAX - 10W	2FT	10W
	ECOMAX - 15W	3FT	15W
	ECOMAX - 20W	4FT	20W
	T81200-24W-C003	4FT	24W

T8 RETROFIT

	Item Code	Size	Power (W)
	T8600-9W-K001	2FT	9W
	T81200-19W-K001	4FT	19W
	T81200-22W-K001	4FT	22W

LED WIDE TUBE


	Item Code	Size	Power (W)
	LUMINOSO TF-15	400	15W
	LUMINOSO TF-21	600	21W
	LUMINOSO TF-45	1200	45W
	PEARL 15W	L : 330mm / IP33	15W
	RIGEL 25W	L : 600mm / IP33	25W
	RIGEL 54W	L : 1200mm / IP33	54W

DOWNLIGHT


TYPE: RECESSED

	Item Code	Outer Size (mm)	Cut Size (mm)	Height (mm)	Power (W)	Led Type
	PRISMA - 7W	Ø90	Ø72-81	78	7W	COB
	PRISMA - 10W	Ø90	Ø72-81	86	10W	COB
	PRISMA - 12W	Ø113	Ø95-102	100	12W	COB
	PRISMA - 15W	Ø143	Ø117-130	95	15W	COB
	PRISMA - 20W	Ø143	Ø117-130	112	20W	COB
	PRISMA - 30W	Ø143	Ø117-130	130	30W	COB
	ASPIRE - 12W	133 x 133	110 X 110	90	12W	COB
	ASPIRE - 24W	240 x 133	215 X 110	90	24W	COB
	ZEBRA - 7W	113	103	60	7W	SMD
	ZEBRA - 14W	145	135	85	14W	SMD
	DL5W-046-KXX	93 x 93	80 x 80	51	5W	COB
	DL5W*2-046-KXX	173 X 93	160 X 80	51	10W	COB
	DL9W-046-KXX	113 X 113	100 X 100	71	9W	COB
	DL9W*2-046-KXX	220 X 113	200 X 100	71	18W	COB
	DL3W-47-KXX	60 X 60	Ø56	30	3W	COB
	DL3W-48-KXX	Ø55	Ø50	30	3W	COB
	DL3W-49-KXX	48 X 48	Ø44	30	3W	COB
	DL3W-50-KXX	Ø48	Ø44	30	3W	COB


SKYLINE LED STREETLIGHT

	Item Code (mm)	Outer Size (mm)	Power (W)
	SKYLINE - 15W	334X101X66	15W
	SKYLINE - 18W	334X101X66	18W
	SKYLINE - 24W	392X47X63	24W
	SKYLINE - 30W	392X47X63	30W
	SKYLINE - 36W	392X47X63	36W
	SKYLINE - 50W	497X220X55	50W
	SKYLINE - 80W	612X270X77	80W
	SKYLINE - 100W	612X270X77	100W


VEGA LED STREET LIGHT

	Item Code	Specification	Power (W)
	VEGA - 24W	27X8X6	24W
	VEGA - 30W	28X8X6	30W
	VEGA - 50W	40X12X8	50W


CRUE LED FLOOD LIGHT

	Item Code	Outer Size (mm)	Power (W)
	CRUE-10W	115 X 117 X 35	10W
	CRUE-20W	179 X 183X 35	20W
	CRUE-30W	220 x 227 x 45	30W
	CRUE-50W	275 X 285 X 55	50W
	CRUE-70W	333 x 285 x 62	70W
	CRUE-100W	333 X 283 X 60	100W
	CRUE-150W	318 X 318 X 70	150W
	CRUE-200W	360 X 353 X 78	200W




SUPREME LED FLOOD LIGHT

	Item Code	Outer Size (mm)	Power (W)
	SUPREME - 20W	80 X 40 X 40	20W
	SUPREME - 30W	225 X 65 X 43	30W
	SUPREME - 50W	235 X 215 X 43	50W

LILY LED SPIKE LIGHT

	Item Code	Specification	Power (W)
	LILY - 5W	COB / DIE CASTED	5W
	LILY - 10W	COB / DIE CASTED	10W



BULKLEAD

	Item Code	Specification	Power (W)
	Ritz - 12W	IP65 / PC BODY	12W
	Marco - 12W	IP65 / PC BODY	12W
	Nuo - 10W	IP65 / PC BODY	10W

DOMELIGHT

 DML15W001K60 (15W)		
	DML12W002K60(12W)	DML12W003K60(12W)
	DML15W002K60(15W)	DML15W003K60(15W)
	DML21W002K60(21W)	DML18W003K60(18W)

CANDLE LAMP

	Item Code	Base	Power(W)
	CDL3W-A	E14	3W
	CDL5W-A	E14	5W
	CDL3W-B	E14	3W
	CDL5W-B	E14	5W



BULB

	Item Code	Specification	Base Type	Power (W)
	MOONLITE 0.5W	RED/BLUE/GREEN/ W/WW/	B22/E27	0.5W
	BLB3W007K60	A45/240	B22/E27	3W
	BLB5W007KXX	A60/240°	B22/E27	5W
	BLB7W007KXX	A60/240°	B22/E27	7W
	BLB9W007KXX	A60/240°	B22/E27	9W


SPARX STRIPLIGHT

	Item Code	Specification	Power (W)
	5050 - 60N - 6500K	5mtrs / roll - IP 20	14W
	5050 - 60N - 3000K	5mtrs / roll - IP 20	14W
	5050 - 60N - 2700K	5mtrs / roll - IP 20	14W
	5050 - 60N - RED	5mtrs / roll - IP 20	14W
	5050 - 60N - BLUE	5mtrs / roll - IP 20	14W
	5050 - 60N - PINK	5mtrs / roll - IP 20	14W
	2835 - 120N - 6500K	5mtrs / roll	
	2835 - 120N - 3000K	5mtrs / roll	

UNIVERSAL LED DRIVER

	Item Code	Specification	Power (W)
	SL-DRVUNI24W	Universal Input : 100V-265V AC /50Hz, Constant Current Output :80V 300ma, Surge Protection :2.5Kv,	8W~24W
	SL-DRVCV12V5A	Striplight SMPS; Universal Input: 230V 50Hz; Output: 12Volt 5 Ampere	12V5A

TRIPROOF LIGHT

	Item Code	Specification	Power (W)
	TRIPROOF 25W	Length: 2 FT, IP66 - Waterproof/Corrosion Proof/Dust Proof; Aluminium Heatsink inside	25W
	TRIPROOF 50W	Length: 4 FT, IP66 - Waterproof/Corrosion Proof/Dust Proof; Aluminium Heatsink inside	50W

COOLBAY LED INDUSTRIAL HIGHBAY

	Item Code	Led Type	Power(W)
	HBL30W-KXX	COB	30W
	HBL50W-KXX	COB	50W
	HBL100W-KXX	SMD	100W
	HBL120W-KXX	SMD	120W

SPOTLIGHT & CABINET LIGHT

	Item Code	Outer Size (mm)	Cut Size (mm)	Height (mm)	Power(W)	Led Type	Installation Type
	Spot 14	Ø42	35	22	2W	HIGH POWER	RECESSED
	Spot 15	Ø32	25	22	2W	HIGH POWER	RECESSED
	Spot 16	30 x 30	Ø25	18	2W	HIGH POWER	RECESSED
	Spot 21	Ø70	NA	15	3W	HIGH POWER	SURFACE MT
	Spot 22	Ø36	29	12	2W	HIGH POWER	RECESSED

TRACKLIGHT

	Item Code	Power(W)	Led Type
	TRKL10W-004-KXX	10W	COB
	TRKL15W-002-KXX	15W	COB
	TRKL30W-03-KXX	30W	COB
	TRACK CIRCUIT	SINGLE PHASE	-

BELLISSIMO COB DOWNLIGHT

	Outer Size	Cut Size	Beam Angle	Power(W)
	87*H33	Ø80	45-50	7W
	115*H42	Ø105	45-50	12W
	142*H50	Ø130	45-50	20W
	169*H58	Ø155	45-50	30W



SUNLUXTM LED



Sunlux Energy Pvt. Ltd., EL-68, MIDC, Mahape, Navi Mumbai - 400710, Maharashtra.

• sales@sunluxenergy.com • Tel No : 022-45769595 • www.sunluxenergy.com

WZ-4B, Village Nangli, Jalib, Janekpuri (E), New Delhi - 110058
Ph: 011-25533754/09717031555
Email: sales@sunluxenergy.com

16, Ganesh Chandra Avenue, 2nd Floor, Kolkata – 700 013
Tel: +91 33 2250038/39/40
Email: ro_east@sunluxenergy.com